REQUEST FOR QUOTATION SHP 17-24

The **Municipality of Guagua**, through its Bid and Awards Committee (BAC), invites Licensed Suppliers/ Manufacturers/ Distributors/ Trading/ Retailers to bid/submit price quotations for the project: **Procurement of One (1) unit PVC ID Card Printer to be used for printing of IDs of senior citizen, solo parents, PWDs, and other sectoral group in accordance with the Alternative Methods of Procurement, Section 52. Shopping of the Revised Implementing Rules and Regulation of Republic Act No. 9184.**

Name of Project: Procurement of One (1) unit PVC ID Card Printer to be used for printing of IDs of senior citizen, solo parents, PWDs, and other sectoral group

Location: Municipality of Guagua, Plaza Burgos, Guagua, Pampanga

Brief Description: Procurement of One (1) unit PVC ID Card Printer

Approved Budget for the Contract: PhP 97,000.00

Contract Duration: 7 calendar days

Submission of quotation documents is on or before **April 23**, **2024 at 9:00 AM** at the same address indicated above. Late submission shall not be accepted.

The forms, which are part of the quotation documents, shall be the same forms to be submitted by the bidders for their compliance with the schedule of requirements, technical specifications, and financial proposal submission sheet. Non-compliance therewith shall be a ground for disqualification. The "No Contact Rule" shall apply. Bidders are not allowed to call or talk to any member of the BAC, TWG, or Secretariat right after the opening of the quotation documents.

The proponent determined to have the Lowest Calculated Bid must be PhilGEPS registered and shall submit its company's valid and current Mayor's or Business Permit.

The Municipality of Guagua hereby reserves the right to accept or reject any or all quotations and to impose additional terms and conditions as it may deem proper.

For inquiry, you may call Ms. Ilona G. Bansil at telephone no. (045) 900-2391 or email at lququa.bac@qmail.com

Very truly yours,

(Sgd.)
RAUL G. NAGUIT
BAC Chairperson

SCHEDULE OF REQUIREMENTS

Description	Quantity	Unit	Unit Price	Total Amount
PVC ID Card Printer	1	Unit		
- 1245OH 16 GB 512 W/ Flipper				
Module(Dual Sided)				
- Print Method: Dye Sublimation				
(Direct-to-Card)				
- Resolution: 300dPi continuous				
tone				
- Print Ribbon: YMCKO 400 Pints,				
1⁄₂ panel YMCKO 560 Prints,				
TMCKOK 560 prints, Resin Black				
1000 prints				
- Print Speed: Approx. 21 sec for				
YMCKO, Approx. 4.5 sec f or a				
resin black				
- Accepted Card Size: CR-80				
(2.13x3.37 inch/ 53.98x85.6 mm)				
- Accepted Card Thickness: 0.01-				
0.039 inch/ 0.76 mm/ 0.25-1.00				
mm (10-40mil)				
 Accepted Card Type: PVC or 				
polyester cards with polished PVC				
finish				
- Input Hopper Card Capacity: 100				
cards (0.030 inch/ 0.76mm /				
30mil)				
- Memory: 64MB, 8MB flash				
- Display: LCM with multi-language				
supported				
- Operating System: Win7 and				
above, macOS v.10.6 or above				
- Way to Print: PC Link				
- Interface: USB2.0, Ethernet				
(Optional Module)				
- Bundle Software: CardDesiree CS				
(Window-based only)				
- Power: Output DC 24.5V/4.08A				
(MAX)				
- Weight 43.9kg/ 10.8lbs (Ribbon				
and module excluded)				
- Dimension (WxHxD):				
7.8x8.15x13.94 inch/				
199x207x354mm				
- Certicicatations: FCC, CE , CCC,				
NCC				
- Optional Accessories:				
- Contact Smart IC card				

Encoding Module				
 Contactless (RFID) encoding 				
module ISO14443A, module				
ISO14443B, ISO15693				
 Magnetic stripe card encoding 				
module excluded ISO7811 (Hi-Co				
& Low-Co)				
 Flipper module (For dual-sided 				
printing)				
- High capacity input hopper (400				
cards loader)				
- Ethernet TCPIP connection				
module				
- Cleaning Roller (Dust arrester				
excluded): A pack contains				
4rollers, 4 packs in carton				
- With Free Ribbon (400 prints)				
and free 400 pcs. Blank PVC Cards				
Ribbon YMCKO (400 prints)	1	Set		
 Free 400pcs Blank PVC Cards 				
_			TOTAL	

TOTAL:

I hereby certify to comply and del	iver all the above requirements.	
News of Common /Diddon	Cimpature area Deinted News of Bidden	
Name of Company/Bidder	Signature over Printed Name of Bidder or Representative	Date

TECHNICAL SPECIFICATIONS

Item	Specification			Statement of Compliance	
	Description	Quantity	Unit		
1	PVC ID Card Printer	1	Unit		
	- 1245OH 16 GB 512 W/ Flipper				
	Module(Dual Sided)				
	- Print Method: Dye Sublimation				
	(Direct-to-Card)				
	- Resolution: 300dPi continuous				
	tone				
	- Print Ribbon: YMCKO 400 Pints,				
	1/2 panel YMCKO 560 Prints,				
	TMCKOK 560 prints, Resin				
	Black 1000 prints				
	- Print Speed: Approx. 21 sec for				
	YMCKO, Approx. 4.5 sec f or a				
	resin black				
	- Accepted Card Size: CR-80				
	(2.13x3.37 inch/ 53.98x85.6				
	mm)				
	- Accepted Card Thickness: 0.01-				
	0.039 inch/ 0.76 mm/ 0.25-				
	1.00 mm (10-40mil)				
	- Accepted Card Type: PVC or				
	polyester cards with polished				
	PVC finish				
	- Input Hopper Card Capacity:				
	100 cards (0.030 inch/ 0.76mm				
	/ 30mil)				
	- Memory: 64MB, 8MB flash				
	- Display: LCM with multi-				
	language supported - Operating System: Win7 and				
	above, macOS v.10.6 or above				
	Way to Print: PC LinkInterface: USB2.0, Ethernet				
	(Optional Module)				
	- Bundle Software: CardDesiree				
	CS (Window-based only)				
	- Power: Output DC 24.5V/4.08A				
	(MAX)				
	- Weight 43.9kg/ 10.8lbs				
	(Ribbon and module excluded)				
	- Dimension (WxHxD):				
	7.8x8.15x13.94 inch/				
	199x207x354mm				
	- Certicicatations: FCC, CE , CCC,				

	NCC		
-	Optional Accessories:		
	- Contact Smart IC card		
	Encoding Module		
	- Contactless (RFID) encoding		
	module ISO14443A, module		
	ISO14443B, ISO15693		
	- Magnetic stripe card encoding		
	module excluded ISO7811 (Hi-		
	Co & Low-Co)		
	- Flipper module (For dual-		
	sided printing)		
	- High capacity input hopper		
	(400 cards loader)		
	- Ethernet TCPIP connection		
	module		
	- Cleaning Roller (Dust arrester		
	excluded): A pack contains		
	4rollers, 4 packs in carton		
	- With Free Ribbon (400 prints)		
	and free 400 pcs. Blank PVC		
	Cards		
Ribbo	on YMCKO (400 prints)	1	Set
	Free 400pcs Blank PVC Cards		

Note: Bidders must state either "Comply" or Not Comply" in the column "Statement of Compliance" against each of the individual parameters of each "Specification", stating the corresponding performance parameter of the equipment offered.

I hereby commit to comply with all	the above Technical Specifications.	
Name of Company/Bidder	Signature over Printed Name of Bidder or Representative	Date

FINANCIAL PROPOSAL SUBMISSION SHEET

Date:	
Bids a	nairperson nd Awards Committee pality of Guagua

Sir/Madame,

After having carefully read and accepted the terms and conditions in your Request forQuotationhereunder is our quotation for the project, <u>Procurement of One (1) unit PVC ID Card Printer to be used for printing of IDs of senior citizen, solo parents, PWDs, and other sectoral group (SHP 17-24).</u>

Description		Quantity	Unit	Unit Price	Total Amount
PVC	ID Card Printer	1	Unit		
-	1245OH 16 GB 512 W/ Flipper				
	Module(Dual Sided)				
-	Print Method: Dye Sublimation				
	(Direct-to-Card)				
-	Resolution: 300dPi continuous				
	tone				
-	Print Ribbon: YMCKO 400				
	Pints, 1/2 panel YMCKO 560				
	Prints, TMCKOK 560 prints,				
	Resin Black 1000 prints				
-	Print Speed: Approx. 21 sec for				
	YMCKO, Approx. 4.5 sec f or a				
	resin black				
-	Accepted Card Size: CR-80				
	(2.13x3.37 inch/ 53.98x85.6				
	mm)				
-	Accepted Card Thickness:				
	0.01-0.039 inch/ 0.76 mm/				
	0.25-1.00 mm (10-40mil)				
-	Accepted Card Type: PVC or				
	polyester cards with polished				
	PVC finish				
-	Input Hopper Card Capacity:				
	100 cards (0.030 inch/ 0.76mm				
	/ 30mil)				
-	Memory: 64MB, 8MB flash				
-	Display: LCM with multi-				
	language supported				
-	Operating System: Win7 and				
	above, macOS v.10.6 or above				
-	Way to Print: PC Link				
-	Interface: USB2.0, Ethernet				
	(Optional Module)				
-	Bundle Software: CardDesiree				

CS (Window-based only)				
- Power: Output DC 24.5V/4.08A				
(MAX)				
- Weight 43.9kg/ 10.8lbs				
(Ribbon and module excluded)				
- Dimension (WxHxD):				
7.8x8.15x13.94 inch/				
199x207x354mm				
- Certicicatations: FCC, CE, CCC,				
NCC				
- Optional Accessories:				
- Contact Smart IC card				
Encoding Module				
 Contactless (RFID) encoding 				
module ISO14443A, module				
ISO14443B, ISO15693				
 Magnetic stripe card encoding 				
module excluded ISO7811 (Hi-				
Co & Low-Co)				
 Flipper module (For dual- 				
sided printing)				
 High capacity input hopper 				
(400 cards loader)				
- Ethernet TCPIP connection				
module				
- Cleaning Roller (Dust arrester				
excluded): A pack contains				
4rollers, 4 packs in carton				
- With Free Ribbon (400 prints)				
and free 400 pcs. Blank PVC				
Cards				
Ribbon YMCKO (400 prints)	1	Set		
- Free 400pcs Blank PVC Cards				
			TOTAL	

TOTAL:

Very truly yours,		
Name of Company	Contact Number	
Name/Signature of Representative	 Date	